



Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--



COMBINED SCIENCE

Paper 2 (Core)

0653/21

May/June 2015

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of **23** printed pages and **1** blank page.

- 1 (a) Fig. 1.1 shows an early type of airship filled with hydrogen gas.




Fig. 1.1

A hydrogen molecule consists of two hydrogen atoms bonded together. Each hydrogen atom contains a small number of subatomic particles.

- (i) State the names and numbers of the subatomic particles in most hydrogen atoms.

.....
 [2]

- (ii) State the type of bonding involved in a hydrogen molecule.

..... [1]

- (iii) The use of hydrogen for airships declined following a disaster in which an airship caught fire.




Fig. 1.2

Write a word equation for the combustion of hydrogen.



[2]

- (iv) The combustion of hydrogen is an exothermic reaction. State the meaning of the term *exothermic*.

.....
 [1]

(v) Hydrogen can be displaced from an acid by reaction with another substance.

Name a substance that could be used to displace hydrogen safely from an acid.
Explain your answer in terms of the reactivity series.

.....
.....
..... [2]

(b) Fig. 1.3 shows a modern weather balloon containing hydrogen or helium gas.




Fig. 1.3

Explain why helium is safer to use than hydrogen.

.....
.....
..... [1]

(c) Modern hot air balloons burn propane gas to heat air which inflates the balloon.




Fig. 1.4

Propane is a hydrocarbon.

Fig. 1.5 shows a model of a propane molecule.




Fig. 1.5

State the molecular formula of propane.

..... [1]

- 2 (a) Most of the chemicals in living things are compounds made from two or more elements chemically joined together.

Choose words from the list of elements below to complete the sentences.

Each word may be used once, more than once or not at all.

carbon hydrogen magnesium nitrogen oxygen
potassium phosphorus sulfur

- (i) The elements contained in carbohydrates are
 and [1]
- (ii) The elements contained in fats are
 and [1]

- (b) Fig. 2.1 shows an animal cell.




Fig. 2.1

- (i) Name the parts of the cell shown by labels X and Y on Fig. 2.1.
- X
- Y [2]
- (ii) One function of a cell is to carry out respiration which needs a constant supply of oxygen. Outline how oxygen gets from the alveoli of the lungs to a muscle cell.
-
-
- [2]

- (c) Energy is released by respiration in cells.

Explain why the rate of respiration increases in some cells during exercise.

.....
 [1]

- (d) Food stores in the body are broken down by respiration to release energy during exercise. Some people exercise when they are trying to lose weight.

Table 2.1 shows the approximate energy needed for a person of body mass 70kg to do 30 minutes of different types of exercise.

Table 2.1

type of exercise	energy needed for 30 minutes of exercise / kJ
cycling	850
golf	670
jogging	1260
swimming	830
walking	580

Sarbjit and Anna each have a body mass of 70 kg. They both exercise for 90 minutes.

During this time they do 30 minutes each of three different exercises.

Calculate the total energy needed for each girl's exercise, as follows.

- (i) Sarbjit did jogging, swimming and golf.

total energy needed = kJ

Anna did cycling, walking and swimming.

total energy needed = kJ [1]

(ii) State and explain which girl's exercises were more effective for losing weight.

.....
.....
..... [2]

(iii) Suggest **one** reason why the energy values given in Table 2.1 cannot be exactly the same for everyone doing the exercises.

.....
..... [1]

3 Fig. 3.1 shows a man on a snowboard moving down a hill.




Fig. 3.1

Fig. 3.2 shows a graph of the man's speed as he goes down the hill.




Fig. 3.2

(a) State the force that causes the man to move downhill.

..... [1]

(b) Describe the motion of the man between points

A and B,

.....

B and C,

.....

[2]

(c) Calculate the distance travelled by the man between points **B** and **C**.

State the formula you use and show your working.

formula

working

distance = m [2]

(d) The man on the snowboard wants to go faster down the hill.

Explain in terms of the forces acting on the man and his snowboard why

(i) he covers the underside of the snowboard with wax to make it smooth,

.....
..... [1]

(ii) he bends down low on the snowboard while going down the hill.

.....
..... [1]

(e) Snow is made of solid ice crystals.

In the box below, draw a diagram to show the arrangement of particles in a solid.

One particle has been drawn for you. You need to draw at least 11 more.



[2]

- 4 (a) A sample of soil is taken from near a city where coal has been burned for many years.

Full-range indicator (Universal Indicator) is added to some pure water. The soil sample is mixed with the water and filtered.

The indicator shows that the pH of the water is 3.

- (i) Describe the change in colour of the indicator.


from to [1]

- (ii) Burning coal produces an acidic gas called sulfur dioxide.
Explain why the sample of soil has a low pH.

.....
.....
..... [2]

- (iii) In order to improve soil, by reducing its acidity, limestone is sometimes added.
Limestone consists mainly of calcium carbonate.

Complete the word equation for the reaction occurring between calcium carbonate and hydrochloric acid.



- (b) Some students are asked whether the size of the pieces of calcium carbonate used in a reaction with dilute hydrochloric acid affects the rate of reaction.

Fig. 4.1 shows the apparatus they use to investigate the problem.




Fig. 4.1

The reaction is repeated with differently-sized pieces of calcium carbonate and the time taken to fill the gas jar with carbon dioxide is measured for each repeat.

- (i) Describe how the size of the pieces of calcium carbonate used affects the time taken to fill the gas jar with carbon dioxide.

.....

 [1]

- (ii) Describe how changing **one** of the other reaction conditions will affect the rate of this reaction.

.....

 [1]

5 (a) Fig. 5.1 shows two flowers of the same species.




Fig. 5.1

(i) On Fig. 5.1 draw an arrow to show the transfer of pollen from flower **A** to flower **B** during pollination. [2]

(ii) From Fig. 5.1 describe **two** adaptations of this flower for insect pollination. Use only features visible in Fig. 5.1.

- 1
-
- 2
- [2]

- (b) A student sets up an experiment to investigate the conditions needed for germination of seeds. She uses cotton wool and seeds as shown in Fig. 5.2.




Fig. 5.2

After a few days the dishes are examined.
 Table 5.1 shows what the student observes.

Table 5.1

dish number	observations
1	all seeds germinated
2	no germination
3	no germination
4	all seeds germinated

- (i) Use the results in Table 5.1 to confirm that the following conditions are needed for germination.

warmth

.....

water

.....
 [2]

- (ii) Study the evidence in Table 5.1 to decide whether light is needed for germination. Explain your answer.

.....
 [1]

- (iii) State **one** other condition, not investigated in the experiment, that is needed for germination of seeds.

..... [1]

6 Many different musical instruments are played in an orchestra.



Table 6.1 shows the lowest and highest frequencies for the sounds produced by some musical instruments in an orchestra.

Table 6.1

instrument	lowest frequency / Hz	highest frequency / Hz
bassoon	58	932
cello	65	659
clarinet	147	1865
flute	262	2093
harp	31	3322
trumpet	165	1000
violin	196	2637

(a) State which instrument in the table

- (i) has the smallest range of frequencies, [1]
- (ii) produces a sound with the shortest wavelength, [1]
- (iii) produces a sound with the lowest pitch. [1]

- (b) String instruments, such as the violin and guitar, produce sound waves when the strings are plucked.
- (i) On Fig. 6.1 draw a diagram to show the motion of a violin or guitar string when it is plucked.




Fig. 6.1

[1]

- (ii) State how your diagram would change if the string produces a louder sound.

..... [1]

- (c) A listener at an outdoor pop concert is 66 m away from the stage.

Calculate the delay between the time a guitar string is plucked and the time she hears the sound.

The speed of sound in air is 330 m/s.

Show your working.

time delay = s [2]

- 7 (a) Complete Table 7.1 to show the physical states of the halogens at room temperature.

Table 7.1

halogen	physical state
chlorine	
bromine	
iodine	

[2]

- (b) Fig. 7.1 shows the apparatus used for the electrolysis of molten lead bromide.




Fig. 7.1

- (i) Complete the labelling of the diagram, choosing from the words below.

ammeter **anode**
cathode **electrolyte** **insulator**
resistor **water**

[2]

- (ii) Place an **X** on the diagram to show where bromine would appear.

[1]

(iii) Describe the appearance of the bromine.

.....
 [1]

(c) Bromine is produced on a large scale by passing chlorine gas through sodium bromide solution.

Fig. 7.2 shows how this can be demonstrated in the laboratory.




Fig. 7.2

(i) Name the substance, other than bromine, that is formed in the beaker.

..... [1]

(ii) Suggest a suitable compound from which iodine could be extracted using a similar method to that shown in Fig. 7.2.

..... [1]

(iii) Use your knowledge of Group VII of the Periodic Table to explain your answer to (ii).

.....
 [1]

8 Fig. 8.1 shows a food chain in Africa.





Fig. 8.1

(a) (i) The source of energy for the food chain is sunlight. The grass needs sunlight for photosynthesis.

Complete the word equation for photosynthesis.



(ii) From the food chain in Fig. 8.1 name

one consumer,

.....

one carnivore.

..... [2]

(b) In most habitats the organisms have more than one food source. These can be added to the food chain to make a food web.

Use the statements below to add labels and arrows to the food chain in Fig. 8.1 to build up a food web.

A lion also eats a hyena.

A hyena eats a zebra.

You may use the word 'hyena' rather than trying to draw one. [2]

(c) The element carbon is transferred along the food chain in Fig. 8.1.

(i) Describe how carbon atoms are transferred from the zebra to the lion.

.....
..... [1]

(ii) Not all the carbon in the zebra is transferred to the lion.

State **two** reasons why some of the carbon atoms in the zebra are **not** transferred to the lion.

1
.....
2
..... [2]

- 9 Fig. 9.1 shows a caravan which uses an electric heater to supply warm air to heat the caravan and to heat water.




Fig. 9.1

Fig. 9.2 shows a circuit diagram for the electric heater. It contains two elements, one for heating the air and one for heating the water.




Fig. 9.2

- (a) (i) The air around the electric heater is heated. The heated air then flows around the caravan and warms the people sitting inside.

State the method of thermal energy transfer involved in the flow of air around the caravan.

..... [1]

- (ii) Thermal energy from the element heating water must be transferred through the wall of the element into the water around it.

State the method of thermal energy transfer through the wall of the element.

..... [1]

(iii) The hot water must be kept hot in the hot water tank after the heater is switched off.

Suggest and explain a method of keeping the water hot for a long time in the tank after heating.

method

.....

explanation

..... [2]

(b) The circuit diagram in Fig. 9.2 only allows both heating elements to be switched on together, or both heating elements to be switched off together.

Complete the circuit diagram in Fig. 9.3 to show a circuit which allows the people in the caravan to have one element switched on and the other element switched off.




Fig. 9.3

[2]

- (c) When both elements are switched on, the current in the water-heating element is 8 A and the current in the air-heating element is 4 A.

Suggest how the resistance of the water-heating element compares with the resistance of the air-heating element.

Explain your answer.

comparison of resistances

.....

explanation

..... [3]

- (d) One day the caravan owner touches the metal casing of the heater. He is surprised to suffer an electrical shock.

Suggest an electrical hazard that might be responsible for this happening.

.....

..... [1]

DATA SHEET
The Periodic Table of the Elements

		Group										
I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
7 Li Lithium 3	9 Be Beryllium 4	1 H Hydrogen 1	11 B Boron 5	12 C Carbon 6	13 Al Aluminium 13	14 N Nitrogen 7	15 P Phosphorus 15	16 S Sulfur 16	17 Cl Chlorine 17	18 Ar Argon 18	19 F Fluorine 9	20 Ne Neon 10
23 Na Sodium 11	24 Mg Magnesium 12	27 Fe Iron 26	28 Ni Nickel 28	29 Cu Copper 29	30 Zn Zinc 30	31 Ga Gallium 31	32 Ge Germanium 32	33 As Arsenic 33	34 Se Selenium 34	35 Br Bromine 35	36 Kr Krypton 36	37 Rb Rubidium 37
39 K Potassium 19	40 Ca Calcium 20	41 Ti Titanium 22	42 V Vanadium 23	43 Cr Chromium 24	44 Mn Manganese 25	45 Fe Iron 26	46 Co Cobalt 27	47 Ni Nickel 28	48 Cu Copper 29	49 Zn Zinc 30	50 Ga Gallium 31	51 Ge Germanium 32
85 Rb Rubidium 37	88 Sr Strontium 38	91 Zr Zirconium 40	92 Nb Niobium 41	93 Mo Molybdenum 42	94 Tc Technetium 43	95 Ru Ruthenium 44	96 Rh Rhodium 45	97 Pd Palladium 46	98 Ag Silver 47	99 Cd Cadmium 48	100 In Indium 49	101 Sn Tin 50
133 Cs Caesium 55	137 Ba Barium 56	178 Hf Hafnium 72	179 Ta Tantalum 73	180 W Tungsten 74	181 Re Rhenium 75	182 Os Osmium 76	183 Ir Iridium 77	184 Pt Platinum 78	185 Au Gold 79	186 Hg Mercury 80	187 Tl Thallium 81	188 Pb Lead 82
223 Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89	228 Th Thorium 90	229 Pa Protactinium 91	230 U Uranium 92	231 Np Neptunium 93	232 Pu Plutonium 94	233 Am Americium 95	234 Cm Curium 96	235 Bk Berkelium 97	236 Cf Californium 98	237 Es Einsteinium 99
55 Cs Caesium 55	56 Ba Barium 56	57 La Lanthanum 57	58 Ce Cerium 58	59 Pr Praseodymium 59	60 Nd Neodymium 60	61 Pm Promethium 61	62 Sm Samarium 62	63 Eu Europium 63	64 Gd Gadolinium 64	65 Tb Terbium 65	66 Dy Dysprosium 66	67 Ho Holmium 67
87 Fr Francium 87	88 Ra Radium 88	89 Ac Actinium 89	90 Th Thorium 90	91 Pa Protactinium 91	92 U Uranium 92	93 Np Neptunium 93	94 Pu Plutonium 94	95 Am Americium 95	96 Cm Curium 96	97 Bk Berkelium 97	98 Cf Californium 98	99 Es Einsteinium 99
103 Lu Lutetium 71	104 Hf Hafnium 72	105 Ta Tantalum 73	106 W Tungsten 74	107 Re Rhenium 75	108 Os Osmium 76	109 Ir Iridium 77	110 Pt Platinum 78	111 Au Gold 79	112 Hg Mercury 80	113 Tl Thallium 81	114 Pb Lead 82	115 Bi Bismuth 83
121 La Lanthanum 57	122 Ce Cerium 58	123 Pr Praseodymium 59	124 Nd Neodymium 60	125 Pm Promethium 61	126 Sm Samarium 62	127 Eu Europium 63	128 Gd Gadolinium 64	129 Tb Terbium 65	130 Dy Dysprosium 66	131 Ho Holmium 67	132 Er Erbium 68	133 Tm Thulium 69
151 Eu Europium 63	152 Gd Gadolinium 64	153 Tb Terbium 65	154 Dy Dysprosium 66	155 Ho Holmium 67	156 Er Erbium 68	157 Tm Thulium 69	158 Yb Ytterbium 70	159 Lu Lutetium 71	160 Hf Hafnium 72	161 Ta Tantalum 73	162 W Tungsten 74	163 Re Rhenium 75
171 Lu Lutetium 71	172 Hf Hafnium 72	173 Ta Tantalum 73	174 W Tungsten 74	175 Re Rhenium 75	176 Os Osmium 76	177 Ir Iridium 77	178 Pt Platinum 78	179 Au Gold 79	180 Hg Mercury 80	181 Tl Thallium 81	182 Pb Lead 82	183 Bi Bismuth 83
201 Fr Francium 87	202 Ra Radium 88	203 Ac Actinium 89	204 Th Thorium 90	205 Pa Protactinium 91	206 U Uranium 92	207 Np Neptunium 93	208 Pu Plutonium 94	209 Am Americium 95	210 Cm Curium 96	211 Bk Berkelium 97	212 Cf Californium 98	213 Es Einsteinium 99
221 Lu Lutetium 71	222 Hf Hafnium 72	223 Ta Tantalum 73	224 W Tungsten 74	225 Re Rhenium 75	226 Os Osmium 76	227 Ir Iridium 77	228 Pt Platinum 78	229 Au Gold 79	230 Hg Mercury 80	231 Tl Thallium 81	232 Pb Lead 82	233 Bi Bismuth 83
251 Lu Lutetium 71	252 Hf Hafnium 72	253 Ta Tantalum 73	254 W Tungsten 74	255 Re Rhenium 75	256 Os Osmium 76	257 Ir Iridium 77	258 Pt Platinum 78	259 Au Gold 79	260 Hg Mercury 80	261 Tl Thallium 81	262 Pb Lead 82	263 Bi Bismuth 83
281 Lu Lutetium 71	282 Hf Hafnium 72	283 Ta Tantalum 73	284 W Tungsten 74	285 Re Rhenium 75	286 Os Osmium 76	287 Ir Iridium 77	288 Pt Platinum 78	289 Au Gold 79	290 Hg Mercury 80	291 Tl Thallium 81	292 Pb Lead 82	293 Bi Bismuth 83

The volume of one mole of any gas is 24dm³ at room temperature and pressure (r.t.p.).

Key

a	X
b	

a = relative atomic mass
 X = atomic symbol
 b = atomic (proton) number

* 58–71 Lanthanoid series
 † 90–103 Actinoid series