

**Tuesday 9 June 2015 – Afternoon**

**GCSE GATEWAY SCIENCE  
ADDITIONAL SCIENCE B**

**B721/01** Additional Science modules B3, C3, P3 (Foundation Tier)


Candidates answer on the Question Paper.  
A calculator may be used for this paper.

**OCR supplied materials:**  
None

**Other materials required:**

- Pencil
- Ruler (cm/mm)

**Duration:** 1 hour 15 minutes



Candidate forename		Candidate surname	
-----------------------	--	----------------------	--

Centre number						Candidate number				
---------------	--	--	--	--	--	------------------	--	--	--	--

**INSTRUCTIONS TO CANDIDATES**

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **all** the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do **not** write in the bar codes.

**INFORMATION FOR CANDIDATES**

- The quality of written communication is assessed in questions marked with a pencil (✎).
- A list of equations can be found on page 2.
- The Periodic Table can be found on the back page.
- The number of marks is given in brackets [ ] at the end of each question or part question.
- The total number of marks for this paper is **75**.
- This document consists of **28** pages. Any blank pages are indicated.

## EQUATIONS

energy = mass × specific heat capacity × temperature change

energy = mass × specific latent heat

efficiency =  $\frac{\text{useful energy output} (\times 100\%)}{\text{total energy input}}$

wave speed = frequency × wavelength

power = voltage × current

energy supplied = power × time

average speed =  $\frac{\text{distance}}{\text{time}}$

distance = average speed × time

$$s = \frac{(u + v)}{2} \times t$$

acceleration =  $\frac{\text{change in speed}}{\text{time taken}}$

force = mass × acceleration

weight = mass × gravitational field strength

work done = force × distance

power =  $\frac{\text{work done}}{\text{time}}$

power = force × speed

$$\text{KE} = \frac{1}{2}mv^2$$

momentum = mass × velocity

force =  $\frac{\text{change in momentum}}{\text{time}}$

GPE = mgh

$$mgh = \frac{1}{2}mv^2$$

resistance =  $\frac{\text{voltage}}{\text{current}}$

**PLEASE DO NOT WRITE ON THIS PAGE**

Answer **all** the questions.

**SECTION A – Module B3**

1 Look at the table.

It shows the results of an investigation into exercise and pulse rate.

Student	Pulse rate in beats per minute				
	1 min of exercise	2 min of exercise	3 min of exercise	4 min of exercise	5 min of exercise
1	88	98	102	110	110
2	92	96	103	115	118
3	87	100	112	112	130
4	93	109	115	120	125
5	90	93	101	112	112
Mean	90	99	107	114	

(a) (i) Calculate the mean pulse rate of the five students after five minutes of exercise.

mean pulse rate = ..... beats per minute [1]

(ii) Before the students exercised, they measured their resting pulse rate.

Describe how to measure resting pulse rate.

.....  
 .....  
 ..... [2]


(iii) The mean resting pulse rate measured in this investigation is 66 beats per minute.

What conclusions can be made about the effects of exercise on pulse rate in these five students?

.....  
 .....  
 ..... [2]

(b) (i) Aerobic respiration is important during exercise.

Finish the symbol equation for aerobic respiration.




(ii) Why is blood important for aerobic respiration?

..... [1]

2 Look at the graph.

It shows growth in boys and girls up to the age of 18 years.



(a) (i) Write down the age range when girls are taller than boys.

..... [1]

(ii) Doctors would need to monitor the height of a nine year old boy who was 110 cm tall.

Why would doctors need to monitor this nine year old boy?

Put a tick (✓) in the box next to the best answer.

He is smaller than a nine year old girl.

He is outside the expected range of heights.

He should be 130 cm tall.

He is shorter than the average height of a four year old boy.

[1]

**(b)** Genes are important in controlling the height of a person.

Dwarfism can be caused by a gene mutation.

What is a gene mutation?

..... [1]

**(c)** Genes are made of the chemical DNA.

The structure of DNA was worked out by Watson and Crick.

Explain why it was important for their model of DNA to be peer reviewed.

.....  
.....  
..... [2]

3 Look at the picture of a firefly.

The firefly is able to give out flashes of bright light to attract a mate.

Just after dark is the best time to see fireflies flashing light.




The reaction that releases light involves the breakdown of a chemical.

An enzyme called luciferase is needed for this reaction.

Look at the graph.

It shows how temperature affects the reaction that releases light.








4 Look at the picture.

It shows an artificial heart.



(a) Part A and part B in the artificial heart pump blood to different places.

Part B has to work the hardest.

Explain why.

.....  
..... [2]

(b) Artificial hearts do not respond to changes in the body.

They need to have an external control.


Explain why this external control is important during exercise.

.....  
.....  
..... [2]

## SECTION B – Module C3

- 5 Harneet and Mike investigate the reaction between sodium thiosulfate and hydrochloric acid.

Look at the diagram. It shows their experiment.



Harneet and Mike look down at the cross.

The liquid in the beaker goes cloudy.

After a time they cannot see the cross on the paper.

Harneet and Mike measure this time. This is the reaction time.

They do the experiment four times at 20°C.

They use four different concentrations of sodium thiosulfate solution, **A**, **B**, **C** and **D**.

Look at their results.

Concentration	Reaction time in seconds
<b>A</b>	43
<b>B</b>	72
<b>C</b>	124
<b>D</b>	61

- (a) Which is the **most concentrated** solution of sodium thiosulfate?

Choose from **A**, **B**, **C** or **D**.

..... [1]

(b) Changing the concentration of sodium thiosulphate changes the rate of this reaction.

Write about **two other** ways of speeding up this reaction.

.....

.....


..... [2]

(c) Eventually the reaction stops.

Explain why.

..... [1]

(d) Harneet also investigates the reaction of marble chips with hydrochloric acid.



The total mass of the flask and its contents decreases during the experiment.

Harneet records this decrease every 4 minutes.

She does the experiment with large marble chips.

She repeats the experiment with small marble chips.

Look at her results.

Time in minutes	Loss in mass in g	
	Large marble chips	Small marble chips
0	0	0
4	0.4	0.8
8	0.8	1.4
12	1.2	1.6
16	1.5	1.7
20	1.7	1.7

(i) Harneet wants to choose the best way to present her results.

How should she present her results?

Choose from the list.

**bar chart**

**histogram**

**line graph**

**pie chart**

answer .....

[1]

(ii) Harneet thinks that the reaction is faster with **small** marble chips.

Is she correct?

Use her results to give **two** reasons to explain your answer.

.....


.....

.....

..... [2]

6 This question is about different forms of carbon.


Look at the diagrams. They show three different forms of carbon.



(a) Write down the name of the form of carbon labelled X.

..... [1]

(b) Graphite is used in pencil leads.



One **physical property** of graphite is that it is opaque.

Write down **one other** physical property of graphite.

.....  
 ..... [1]

(c) Ball-shaped fullerenes can be used in new drug delivery systems.

Explain why.

.....  
 .....  
 ..... [2]



(b) Look at David's results.

Fuel	Temperature of water at start in °C	Temperature of water at end in °C
A	19	44
B	21	41
C	18	48
D	20	46

Which fuel gives out **most** energy?

Explain your choice.

.....  
..... [1]

(c) Fuel **B** is ethanol.

Ethanol burns in oxygen.

Carbon dioxide and water are made.

Write a **word equation** for this reaction.


..... [1]



8 Megan is making some magnesium sulfate.

Look at the equations.

sulfuric acid + magnesium oxide  $\rightarrow$  magnesium sulfate + water



(a) Write down the formula of one **reactant** in this reaction.

..... [1]

(b) Look at the table.

It shows some information about the compounds involved in making magnesium sulfate.

Compound	Formula	Relative formula mass, $M_r$
sulfuric acid	$\text{H}_2\text{SO}_4$	98
magnesium oxide	$\text{MgO}$	40
magnesium sulfate	$\text{MgSO}_4$	120
water	$\text{H}_2\text{O}$	18


Calculate the **atom economy** of this reaction.

Water is a waste product.

.....  
 .....  
 .....

atom economy = ..... % [2]

(c) Look at the diagrams. They show the method Megan uses to make magnesium sulfate.







SECTION C – Module P3

9 Two boats race over a distance of 6800 m.

The picture shows the boats at the start of the race.



Here is the distance–time graph for part of the race.



After 10 minutes boat **A** and boat **B** travel at constant speed for the rest of the race.

(a) Draw on the graph to extend the graph line for boat **A** to 6800 m.

Which boat won the race?

.....


Explain your answer.

.....

..... [2]



10 Here is some scientific evidence about drivers stopping cars safely.



(a) Look at the claim.

'As the speed of the car increases both the braking distance and the thinking distance increase.'

Is this claim supported by the scientific evidence?

.....

Explain your answer **using data** from the graph.

.....

.....

..... [2]

(b) The following factors were kept constant when the evidence was collected.

**amount of alcohol in driver's blood**

**driver tiredness**

**driver distractions**

**condition of the tyres**

One of these factors is kept constant because it will change the braking distance of the car.

(i) Which factor affects **braking** distance?

Choose from the list.

..... [1]


(ii) Increasing speed increases braking distance.

Write down another factor that **increases** braking distance and explain why.

.....  
..... [2]

(c) Car manufacturers add safety features to their cars.


One of these safety features is adjustable seatbelts.



Describe the risks and benefits of using adjustable seatbelts.

.....  
.....  
.....  
.....  
.....  
..... [3]

11 Riya, Artem and Niklas climb a rock wall.



Here is information about their climb.

Name	Weight in N	Height of climb in m	Time to climb in s
Riya	300	7.0	120
Artem	350	5.0	180
Niklas	700	4.0	100

(a) Calculate the work done by Riya.

.....  
 .....

Work done = ..... joules [2]



(b) Niklas only climbs 4.0 m but he thinks he has done more work than Riya.

He is correct.

Explain why.

.....  
..... [1]

(c) Artem calculates the power developed during his climb.

$\frac{350 \times 5.0}{180} = 9.72$
-------------------------------------

(i) Complete the sentence to give the unit of power.

Artem's power is 9.72 ..... [1]

(ii) Artem wants to increase his power but only wants to climb up 5.0 m.

Describe how he can increase his power.

.....  
..... [1]


12 This question is about gravitational potential energy (GPE) and kinetic energy (KE).

(a) Put ticks (✓) in the table to show what GPE and KE depend on.

	GPE	KE
mass		
position in Earth's gravitational field		
speed		

[2]

(b) There are five books in a bookcase with three shelves.



All the books are made of the same material.

Put an **X** on the **book** with the most GPE.

Explain why you have chosen this book.

.....

.....

..... [2]

**END OF QUESTION PAPER**

**PLEASE DO NOT WRITE ON THIS PAGE**

---

**OCR**  
Oxford Cambridge and RSA

**Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website ([www.ocr.org.uk](http://www.ocr.org.uk)) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

# The Periodic Table of the Elements

	1	2	3	4	5	6	7	0										
	7 <b>Li</b> lithium 3	9 <b>Be</b> beryllium 4	11 <b>Na</b> sodium 11	12 <b>C</b> carbon 6	13 <b>Al</b> aluminium 13	14 <b>N</b> nitrogen 7	15 <b>O</b> oxygen 8	16 <b>F</b> fluorine 9	18 <b>Ne</b> neon 10									
	19 <b>K</b> potassium 19	20 <b>Ca</b> calcium 20	21 <b>Sc</b> scandium 21	22 <b>Ti</b> titanium 22	23 <b>V</b> vanadium 23	24 <b>Cr</b> chromium 24	25 <b>Mn</b> manganese 25	26 <b>Fe</b> iron 26	27 <b>Co</b> cobalt 27	28 <b>Ni</b> nickel 28	29 <b>Cu</b> copper 29	30 <b>Zn</b> zinc 30	31 <b>Ga</b> gallium 31	32 <b>Ge</b> germanium 32	33 <b>As</b> arsenic 33	34 <b>Se</b> selenium 34	35 <b>Br</b> bromine 35	36 <b>Kr</b> krypton 36
	37 <b>Rb</b> rubidium 37	38 <b>Sr</b> strontium 38	39 <b>Y</b> yttrium 39	40 <b>Zr</b> zirconium 40	41 <b>Nb</b> niobium 41	42 <b>Mo</b> molybdenum 42	43 <b>Tc</b> technetium [98]	44 <b>Ru</b> ruthenium 44	45 <b>Rh</b> rhodium 45	46 <b>Pd</b> palladium 46	47 <b>Ag</b> silver 47	48 <b>Cd</b> cadmium 48	49 <b>In</b> indium 49	50 <b>Sn</b> tin 50	51 <b>Sb</b> antimony 51	52 <b>Te</b> tellurium 52	53 <b>I</b> iodine 53	54 <b>Xe</b> xenon 54
	55 <b>Cs</b> caesium 55	56 <b>Ba</b> barium 56	57 <b>La*</b> lanthanum 57	72 <b>Hf</b> hafnium 72	73 <b>Ta</b> tantalum 73	74 <b>W</b> tungsten 74	75 <b>Re</b> rhenium 75	76 <b>Os</b> osmium 76	77 <b>Ir</b> iridium 77	78 <b>Pt</b> platinum 78	79 <b>Au</b> gold 79	80 <b>Hg</b> mercury 80	81 <b>Tl</b> thallium 81	82 <b>Pb</b> lead 82	83 <b>Bi</b> bismuth 83	84 <b>Po</b> polonium 84	85 <b>At</b> astatine 85	86 <b>Rn</b> radon 86
	[223] <b>Fr</b> francium 87	[226] <b>Ra</b> radium 88	[227] <b>Ac*</b> actinium 89	[261] <b>Rf</b> rutherfordium 104	[262] <b>Db</b> dubnium 105	[266] <b>Sg</b> seaborgium 106	[264] <b>Bh</b> bohrium 107	[277] <b>Hs</b> hassium 108	[268] <b>Mt</b> meitnerium 109	[271] <b>Ds</b> darmstadtium 110	[272] <b>Rg</b> roentgenium 111	Elements with atomic numbers 112-116 have been reported but not fully authenticated						

1  
**H**  
hydrogen  
1

Key  
relative atomic mass  
atomic symbol  
name  
atomic (proton) number

\* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.